Λ <u>ι</u>	ype	#	Hits	Search Text	DBs	Time Stamp	Comments Error	Error	Definition
0 BRS		L10	719	(container or applicator) USPAT 2001/08/25 with telescopic 17:03	USPAT	2001/08/25 17:03			

8	7	6	U	4	ω	2	1	
								٦
☒	☒	☒	⊠ .	☒	⊠	☒	☒	4
US	US	US	US	US	US	US	Sn	_D
4211404 A	4602728 A	4624382 A	4653675 A	5936765 A	5992705 A	6005159 A	6056164 A	Document ID
19800708	19860729	19861125	19870331	19990810	19991130	19991221	20000502	Issue Date
4	0	ហ	7	7	7	11	8	Pages
Telescoping physical exercising device	Container	Multi-purpose container which 220/8 may be reduced in height	Hand-held motor-driven extruding device for dispensing a plastic	Can telescope	Device for the translational driving of a piston for the distribution of	Protective covering for body lesions	Container for stencil inks	Title
482/128	222/528	220/8	222/390	359/399	222/386	602/42	222/327	Current OR

2 1	Current XRef 222/386 128/888	Retrieval Classif	Inventor Wakayama, Takahiro Spier, I. Martin	⊠ ⊠ w			
	128/888 ; 602/54		Spier, I. Martin		×		
ω	222/405 ; 401/176		Lhuisset, Fran.cedilla.ois		×		
4	359/406 ; 359/413		Walsh, Daniel M.		×		
5	222/333		Ratzky, Reiner		×	⊠ □	
6	220/751 ; 220/770 ; 220/773		Tontarelli, Sergio		×	⊠ □	
7	222/530		Ha, Sung M.		\boxtimes		
8			Blowsky, Frank C., et al.		⊠	⊠ □	

	Type	۲ #	Hits	Search Text	DBs	Time Stamp	Stamp Comments Error Definition	Error De
H	BRS	Ľ1	158945	158945 (pneumatic or air) with (cylinder or piston)	USPAT; US-PGP UB; EPO; JPO	2002/03/14		
N	BRS	L2	182	l same (piston with telescopic)	USPAT; US-PGP UB; EPO; JPO	2002/03/14 11:28		

	C	4	U Document ID	Issue Date	Pages	Title	Current OR
1		☒	⊠ US 5191828 A	19930309	7	Telescopic cylinder with increased lateral loading 92/165R capacity	92/165R
2		☒	図 US 3871678 A	19750318	7	Suspension units for vehicles 267/64.16	267/64.16
ω		\boxtimes	<u>i.</u>	19991102	4	TELESCOPIC BLOCKING GATE BAR	BAR
4		\boxtimes		19980423	15		

							-			ĺ
	Current XRef	Retrieval Classif	Inventor	S	С	٩	2	ω	Image Doc. Displayed	PT
	92/109;					•••••••••				
Ъ	92/51; 92/53		McCreery, Robert B.	Ø					□ □ □ US 5191828	
2			Taft, Philip Augustus et al.	☒					☐ US 3871678	
ω			KUROIWA, AKIYOSHI	\boxtimes					JP 11301484 A	
4			RASMUSSEN, PETER	\boxtimes					WO 9816748 A1	

	Туре	۲ #	Hits	Search Text	DBs	Time Stamp	Comments	Stamp Comments Error Definition
ω	BRS	Г8	1804	L8 1804 compression and (air or USPAT 2001,	USPAT	2001/08/25 16:40		/08/25 D
9	BRS	L9 6	· თ	compression and (air or pneumatic) and (telescopic with (acturator or applicator))	USPAT	2001/08/25 16:41		

P		SU	Document ID 5555673 A	Issue Date 19960917	Pages	Tit Method and appa applying liquid	Title apparatus for quid
2		US	4566386 A	19860128	14	iot ink swingin	Hot ink imprinter with swinging print head
ω		US	4130386 A	19781219	13	Device holding	for preforming and a wrapper in a mould
4		Sn	3648316 A	19720314	12	SURFACE	SURFACE-TREATING APPARATUS
ن		US	3628534 A	19711221	И	CATAMENIAL	TAMPON
0		US	3601448 A	19710824	9	METHOD CONCRETI WITH MI	METHOD FOR FRACTURING CONCRETE AND OTHER MATERIALS 299/14 WITH MICROWAVE ENERGY

6 219	604/ ; 60 ; 60 ; 60	15/ 4 ; 1 ; 4	249/ 249/ 3;42 3;42	2 ; 1 2 ; 1 ; 1	118 ; 4 ; 4 ; 4	Cu
219/679 ; 241/1)4/368 604/375 604/377 604/904	/24 15/DIG.2 451/342	19/136 249/75 425/398 425/443 425/444)1/295 101/320 101/327 101/359	18/270 401/206 401/272	Current XRef
						Retrieval Classif
Stone, Stanford C.	Donohue, Francis X.	Habian, George , et al.	Hautemont, Jean-Claude H.	Davison, Charles F.	Smith, Wayne H.	Inventor
×	☒	☒	☒	☒	×	တ
						C
						שי
						2
						ω

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Time Stamp Comments Error Definition
6	BRS	L6	2887		USPAT; EPO; 2001/0 JPO; 16:32 t	2001/08/25 16:32		
7	BRS	17	142	6 and compress\$	USPAT; EPO; 2001/0 JPO; 16:33 Derwen	2001/08/25 16:33		Truncation Overflow. Return string from Server is: 5`0`0`COM